


Manhattan gazebo 10x12 ft
ASSEMBLY INSTRUCTION
ITEM#: A101001100
SKU#: 810461193



We have you in mind, let us help you!

*** DO NOT RETURN YOUR PRODUCT TO THE STORE ***

Contact US FIRST

24 / 7
Toll
Free



1-(866)-578-6569

24 / 7
Live Chat



Support

www.sunjoyonline.com

24 / 7

Staples@sunjoygroup.com

Country of Origin: China

Call 1(866) 578-6569 for assistance.
Or visit us at www.sunjoyonline.com

Safety Information

- **More than two people** are required for this assembly.
- Some parts may contain sharp edges. Wear protective gloves.
- When assembling and using this product, basic safety precautions should always be followed to reduce the risk of personal injury and damage to equipment. Please read all instructions before assembly and usage.



CAUTION: Do not climb on top of the gazebo. Falling off the gazebo can result in serious injury.

NOTICE: For outdoor use



DANGER: This unit is heavy! Do not assemble this item alone.



WARNING: Do not leave the gazebo where there is a risk of high wind, as possible damage will occur to the structure.



WARNING: Keep all flame and heat sources away from this gazebo fabric. This Gazebo is made with fabric that meets CPAI-84 specifications for flame resistance. It is not fire proof. The fabric will burn if left in continuous contact with any flame source. The application of any foreign substance to the gazebo fabric may render the flame-resistant properties ineffective.

Warranty: 1 Year





WHAT IS COVER?

The limited warranty is extended to the original purchaser and applies to material and manufacturer's defect provided the item is maintained with care and used only for personal, residential purposes.

IMPORTANT


KEEP THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE.
















TOOLS NEEDED









IMPORTANT

How many people needed for the installation work



Parts List				
Label	Part Number	Description	Qty	Part Image
A	P000200378	Post	8	
B	P000400772	Long Frame	2	
C	P000400773	Short Frame	6	
D	P000500971	Big Top Frame Connector	4	
E	P000500973	Long Rod with Big Top Frame	2	
F	P000500972	Short rod with Big Top Frame	2	
G	P000601175	Slant Beam for Big Roof	8	
H	P000601174	Slant Beam for Short Roof	8	
J	P000500970	Small Top Connector	1	
K	P005700579	Long Mosquito Netting Pipe	2	
L	P005700580	Short Mosquito Netting Pipe	6	
M	P005800164	Hook	1	
N	P001100456	Small canopy	1	
P	P001100457	Big Canopy	1	
Q	P001200179	Mosquito Netting	1	

Hardware Pack					
Label	Part Number	Description	Qty	Add	Part Image
AA	H02002C11	M6 x 20 mm Bolt	48	3	
BB	H19001C11	M6 Flat Washer	48	3	
CC	P12401A01001	Ø 8 x180 mm Stake	16	0	
DD	P90701A07001	Ring	52	3	
EE	H13001C11	M6 Spring Washer	32	2	
Z1	H00001C12	M6 Wrench	2	0	





Fig1. Attach long frame (B) to post (A) using bolt (AA), spring washer (EE) and flat washer (BB). Tighten with wrench (Z1).




Fig2. Attach short frame (C) to post (A) using bolt (AA), spring washer (EE) and flat washer (BB). Tighten with wrench (Z1).





Fig3. Attach short netting pipe (L) to short frame (C) using bolt (AA) and flat washer (BB). Tighten with wrench (Z1). Same assembly to attach long netting pipe (K) to long frame (B).






Fig4. Attach log tube (E) to connector (D) using spring buckle. Attach short tube (F) to connector (D) using spring buckle.




Fig5. Attach connector (D) to slant beam (G) using spring buckle.




Fig6. Attach slant beam (G) to post (A) using spring buckle.





Fig7. Spread big canopy (P) to the big roof.






Fig8. Attach slant beam (H) to connector (J) using spring buckle.




Fig9. Spread small canopy (N) to the small roof, tighten with the 8 pockets to the slant beam (H).




Fig10. Tighten the neeting on the small canopy (N) using kook and loop.




Fig11. Insert slant beam of the small roof (H) to connector (D) to secure small roof to the big roof.





Fig12. Screw hook (M) to the connector (J).






Fig13. Secure 7 pockets of the big canopy (P) that without the belt to the slant beam (G).




Fig14. Secure the last pocket of big canopy (P) that with belt to the slant beam (G).




Fig15. Fix the trim on the big canopy (P) using hook and loop.




Fig16. Attach hook (DD) to netting pipes (L/K).
Note: 6 hooks on each short netting pipe (L), 8 hooks on each long netting pipe (K).




Fig17. Fix netting (Q) to post (A) using ties.




Fig18. Fix end of netting (Q) to post (A) using ropes. Secure the gazebo to the ground using stakes (CC).

Care and Maintenance

- Our steel components for garden accessories and furniture are treated with rust inhibiting paint that protects it from rusting. However, due to the nature of steel, surface oxidation (rusting) will occur once these protective coatings are scratched. This is not a defect and thus not covered by the warranty.
- To minimize this condition, we recommend care when assembling & handling the product to prevent scratching the paint. Should any scratching or damage occur, we recommend immediate touch-up with rust inhibiting paint.
- Surface rust can also be easily removed with a very light application of common cooking oil. If surface oxidation (rusting) occurs and if no measure is taken to prevent this, the oxidation may start dripping on to deck or patio and caused damaging stains, which may be difficult to remove. This can be prevented if the above-mentioned measures are taken to keep the product from oxidizing.
- Use damp cloth to wipe off the stains as quickly as possible.
- If necessary, wash with a mild solution of soap and water; rinse thoroughly and dry completely.
- Periodically check and ensure that all bolts are well-tighten during use

Limited Manufacturer's Warranty

Sunjoy Group warrants to the original purchaser that this item is free from defects in workmanship and materials for a period of **1 year** from the date of purchase, provided the item was factory-sealed at the time of purchase and is maintained with care and used only for personal, residential purposes. Should any manufacturing defect arise within this warranty period, Sunjoy Group will replace (at our option) any defective merchandise or parts upon proof of purchase; however, transportation and delivery costs, as well as payments to a third party for assembly or disassembly of the item, remain the responsibility of the purchaser. A purchaser of an "open box," previously-returned, or "clearance" item, as well as original purchasers outside of the warranty period, may obtain replacement parts from Sunjoy Group for products in current production, at nominal cost.

Exclusions:

Items used for commercial, contract, or other non-residential purposes, or items damaged due to acts of nature, vandalism, misuse, or improper assembly are not covered. Corrosion or rusting of hardware is not covered. Proof of purchase (dated register receipt) is required for warranty claims. Warranty is to the original purchaser and is non-transferable. Any replacement of warranted items will be in the original style and color, or a similar style and color if the original is unavailable or has been discontinued. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.